



Item no: 0109917

Suction cup OB65x170P Polyurethane 30/60

The oval suction cups are suitable for handling of long and narrow objects and surfaces when maximum lifting force is desired. Oval suction cups are specially suitable for irregular surfaces and when level compensation is desired. This program of oval suction cups has characteristics that are specially suited... for handling of metal-sheet material.

- Suitable for level adjustment. Can handle objects with height differences and varying shapes, for example embossed or corrugated plates.
- Lifting movement to separate small and thin objects.
- In the two coloured suction cup, the bellows and the sealing lip are of different hardnesses, which makes the suction cup strong and stable and, at the same time, soft and flexible.
- DURAFLEX® are suction cups manufactured in a specially developed material that features the elasticity
 of rubber and wear resistance of polyurethane. The material does not leave any marks on the objects
 handled.

General

Application Corrugated / cardboard

Suction cup shape Oval Bellows Material PU30, PU60

 $\begin{array}{lll} \text{Suction cup model} & \text{OB} \\ \text{Weight} & \text{241 g} \\ \text{Volume} & \text{175 cm}^3 \end{array}$

Suction cup model OB65x170P PU30 PU60

Movement, vertical max. 16 mm Curve radius, min. 38 mm

Fitting

Fitting option None
Fitting size None
Fitting style None
Fitting type None

Dimension

Height 41.5 mm
Outer diameter 177 mm
Width 76 mm

Performance - lifting forces

 OB65x170P PU30 PU60
 ♣
 ♣

 20 -kPa
 119 N
 141 N

 60 -kPa
 335 N
 379 N

 90 -kPa
 541 N
 532 N

Material


Name PU30 PU60


Colour Yellow GreenTransparent

Temperature $10 - 50 \, ^{\circ}\text{C}$ $10 - 50 \, ^{\circ}\text{C}$ Hardness $30 \, ^{\circ}\text{Shore A}$ $60 \, ^{\circ}\text{Shore A}$

PU30 PU60 Alcohol n/a n/a Concentrated acids + Ethanol Hydrolysis + Methanol Oil +++ Oxidation Petrol Wear resistance Weather and ozone +++ +++

Dimensional drawings \triangle





Values specified in the data sheet are tested at:

• Room temperature: $(20^{\circ} \text{C} [68^{\circ} \text{F}] \pm 3^{\circ} \text{C} [5.5^{\circ} \text{F}])$

• Standard atmosphere: (101.3 [29.9 inHg] ± 1.0 kPa [0.3 inHg])

• Relative humidity: 0-100%

• Compressed air quality: DIN ISO 8573-1 class 4