

Item no: 0118986

Suction cup FCF50P Polyurethane 55/60, G3/8" female

The FCF-P design is suitable for oily surfaces, slightly domed and flat surfaces, e.g., such as those encountered when handling metal sheets in press lines. The suction cups have support cleats that prevent thin objects from being disfigured. DURAFLEX® suction cups manufactured in a specially developed... material that features the elasticity of rubber and wear resistance of polyurethane. The material does not leave any marks on the objects handled.

- Special designed friction cups for oily surfaces, such as sheets in metal forming processes.
- Normal wear on friction cup will not affect the long term shear force performance.
- Best choice if > 0.1g/m2 press oil is used on the sheet.
- Thanks to the strong grip on oily surfaces, the suction cups can withstand high shear forces, typically 2–4
 times more than corresponding conventional suction cups.
- The "FCF" design is suitable for slightly domed and flat surfaces, e.g., such as those encountered when handling metal sheets in press lines.
- The suction cups have support cleats that prevent thin objects from being disfigured.
- DURAFLEX® suction cups manufactured in a specially developed material that features the elasticity of rubber and wear resistance of polyurethane. The material does not leave any marks on the objects handled.

General

Application Oily sheet metal
Suction cup shape Flat Concave
Material PU55, PU60
Suction cup model FCF

Suction cup model FCF50P Dry metal sheet

Specification Dry metal sheet

Movement, vertical max. 4 mm
Curve radius, min. 50 mm

Suction cup model FCF50P Oily steel plate

Specification Oily steel plate

Fitting

Fitting option None
Fitting size 3/8"
Fitting style Female
Fitting type G-thread

Dimension

Height 30.6 mm
Outer diameter, actuated 53.5 mm
Outer diameter 50 mm

Performance - lifting forces

Δ̈́ 之 FCF50P Dry metal sheet 60 -kPa 78 N 77 N 90 -kPa 106 N 105 N Å 之 FCF50P Oily steel plate 60 -kPa 72 N 52 N 90 -kPa 101 N 70 N

Material


Name PU55 PU60

Colour Orange GreenTransparent

Temperature $10 - 50 \, ^{\circ}\text{C}$ $10 - 50 \, ^{\circ}\text{C}$ Hardness $55 \, ^{\circ}\text{Shore A}$ $60 \, ^{\circ}\text{Shore A}$

| | PU55 | PU60 |
|--------------------|------|------|
| Alcohol | n/a | n/a |
| Concentrated acids | + | + |
| Ethanol | + | + |
| Hydrolysis | + | + |
| Methanol | - | - |
| Oil | +++ | +++ |
| Oxidation | - | - |
| Petrol | + | + |
| Wear resistance | +++ | +++ |
| Weather and ozone | +++ | +++ |

Dimensional drawings \triangle



Values specified in the data sheet are tested at:

- Room temperature: (20°C [68°F] ± 3°C [5.5°F])
- Standard atmosphere: (101.3 [29.9 inHg] \pm 1.0 kPa [0.3 inHg])
- Relative humidity: 0-100%
- Compressed air quality: DIN ISO 8573-1 class 4