

Item no: 0201821

Suction cup BFF30P Polyurethane 55/60, G3/8" male, 1/8" NPSF female

The BFF-P design is suitable for oily surfaces, uneven/curved surfaces or if level compensation is needed, for example in de-stacking applications. The flat inner support gives stability during movement in any orientation. Special designed friction cups for oily surfaces, such as sheets in metal forming processes.... Thanks to the strong grip on oily surfaces, the suction cups can withstand high shear forces, typically 2–4 times more than corresponding conventional suction cups.

- Special designed friction cups for oily surfaces, such as sheets in metal forming processes.
- Normal wear on friction cup will not affect the long term shear force performance.
- Best choice if > 0.1g/m2 press oil is used on the sheet.
- Thanks to the strong grip on oily surfaces, the suction cups can withstand high shear forces, typically 2–4 times more than corresponding conventional suction cups.
- The "BFF" design is suitable for uneven/curved surfaces or if level compensation is needed, for example in de-stacking applications.
- The flat inner support gives stability during movement in any orientation.
- DURAFLEX® suction cups manufactured in a specially developed material that features the elasticity of rubber and wear resistance of polyurethane. The material does not leave any marks on the objects handled.

General

Application Oily sheet metal

Suction cup shape Bellows
Material PU55, PU60

Suction cup model BFF Weight 9.5 g Volume 5 cm 3

Suction cup model BFF30P Dry metal sheet

Specification Dry metal sheet

Movement, vertical max. 5.25 mm

Curve radius, min. 15 mm

Suction cup model BFF30P Oily steel plate

Specification Oily steel plate

Fitting

Fitting option None
Fitting size 3/8"
Fitting style Female
Fitting type G-thread

Dimension

Height 30.08 mm Outer diameter 30.4 mm

Performance - lifting forces

Ţ 之 BFF30P Dry metal sheet 24 N 11 N 60 -kPa 90 -kPa 27 N 13.5 N Ţ 之 BFF30P Oily steel plate 60 -kPa 23 N 5.5 N 90 -kPa 30 N 7.8 N

Material


Name PU55 PU60

Colour Orange GreenTransparent

Temperature 10 - 50 °C 10 - 50 °C Hardness 55 °Shore A 60 °Shore A

	PU55	PU60
Alcohol	n/a	n/a
Concentrated acids	+	+
Ethanol	+	+
Hydrolysis	+	+
Methanol	-	-
Oil	+++	+++
Oxidation	-	-
Petrol	+	+
Wear resistance	+++	+++
Weather and ozone	+++	+++

Dimensional drawings \triangle



Values specified in the data sheet are tested at:

- Room temperature: (20°C [68°F] ± 3°C [5.5°F])
- Standard atmosphere: (101.3 [29.9 inHg] ± 1.0 kPa [0.3 inHg])
- Relative humidity: 0-100%
- Compressed air quality: DIN ISO 8573-1 class 4