Suction cup BL30-2 Silicone, 1/8" NPSF female, with mesh filter, 0101514



- Suitable for level adjustment.
- Lifting movement to separate small and thin objects.
- Less suitable when the lifting force is parallel to the surface of the object.

General

Curve radius	8 mm
Movement, vertical max.	20 mm
Application	Bag handling
Material	Silicone (SIL)
Suction cup model	BL-2
Suction cup shape	Multibellows
Volume	10 cm ³
Weight	7 g

Fitting

Fitting size	1/8"
Fitting style	Female
Fitting type	NPSF-thread
Fitting option	Filter mesh

Dimension

Height	40.5 mm
Outer diameter	30 mm

Performance — lifting forces,

	±	*
20 -kPa	0.64 N	4.6 N
60 -kPa	1.6 N	9.5 N

Performance — lifting forces, reinforcement ring

	1
20 -kPa	6.4 N
60 -kPa	16 N


Material

	Silicone (SIL)
Colour	Red
Hardness	50 °Shore A
Temperature	-40 – 200 °C

Material resistance

	Silicone (SIL)
Alcohol	++
Concentrated acids	-
Ethanol	N/A
Hydrolysis	+
Methanol	N/A
Oil	-
Oxidation	+++
Petrol	-
Wear resistance	++
Weather and ozone	+++

Dimensional drawings



Values specified in the data sheet are tested at:

Room temperature	(20°C [68°F] ± 3°C [5.5°F])
Standard atmosphere	(101.3 [29.9 inHg] ± 1.0 kPa [0.3 inHg])
Relative humidity	0-100%
Compressed air quality	DIN ISO 8573-1 class 4

Spare parts

	Item no.
Fitting 1/8" NPSF female, 30–40, with mesh filter	0101153
Suction cup BL30-2 Silicone	0101118

Accessories

ng 1/4" NPT male, with dual flow control e 3251008 eng 1/4" NPT male, with mesh filter 3250093 ng 1/8" NPSF female, 30–40 3250005
ng 1/8" NPSF female, 30-40 3250005
ng 1/8" NPSF female, 30–40, PA 3150197
ng 1/8" NPSF female, 30–40, with dual flow 3251006 crol valve
ng 3/8" NPT male, with dual flow control 3251010
ng 3/8" NPT male, with mesh filter 3250089
ng 5x1/8" NPSF female, 30–40 0100261
ng 5x1/8" NPSF female, 30–40, with dual 3251011
ng G1/4" male, 30–40, with mesh filter 3250091
ng G1/4" male, 30–40, with mesh filter and lflow control valve
ng G1/8" male, 40, with mesh filter 0200714
ng G3/8" male, 30–40, with mesh and dual 3251009
ng G3/8" male, 30–40, with mesh filter 3250086
ion cup BL30-2 Chloroprene 0101117
forcement ring 30-2 3150072