



Item no: 0207047

Suction cup F-OB 30x60 Silicone, G1/8"male SS, FCM

- The silicone material complies with FDA 21 CFR 177.2600 and EU 1935/2004.
- Transparent color without pigment
- Long lasting high-end silicone material
- Excellent grip on oblong parts such as flow-packs and stick-packs
- Available with threaded and integrated stainless steel fittings.
- Easy to clean with hygienic design. No dust/dirt pockets.

General

Application	Food contact materials (FDA & EU), non-detectable
Suction cup shape	Oval Bellows
Material	SILNONDETFCM, ASTM316L
Suction cup model	F-OB
Weight	53.14 g
Volume	17.5 cm ³
Suction cup model	F-OB 30x60
Movement, vertical max.	10.9 mm
Curve radius, min.	11 mm



Fitting

Fitting option	None
Fitting size	1/8"
Fitting style	Male
Fitting type	G-thread

Dimension

Height	44.8 mm
Length	62 mm
Width	32 mm

Performance - lifting forces

	F-OB 30x60		
10 -kPa		8 N	8.1 N
20 -kPa		17.2 N	13.4 N
40 -kPa		31.1 N	27.5 N

Material

Name	SILNONDETFCM
Colour	Transparent
Temperature	-40 - 200 °C
Hardness	40 °Shore A

	SILNONDETFCM
Alcohol	++
Concentrated acids	-
Ethanol	n/a
Hydrolysis	+
Methanol	n/a
Oil	-
Oxidation	+++
Petrol	-
Wear resistance	++
Weather and ozone	+++

