



Item no: 3150108T

Suction cup B110 HNBR

Several short bellows cups in one lifting device can handle objects with height differences and varying shapes. The bellows also provide a slight lifting movement to separate thin items. Materials used are silicone, conductive silicone, chloroprene, HNBR and nitrile-PVC.

- Suitable for level adjustment. Several short bellows in one lifting device can handle objects with height differences and varying shapes, for example embossed or corrugated plates.
- The lifting movement can be used to separate small and thin objects.
- Only lightweight objects should be handled when the lifting force is parallel to the surface of the object, in order to achieve good precision and safe lifting movement.

General

Item number, alternative	S.B110HN75.XXX.00
Application	MarkFree, DrySheetMetal
Suction cup shape	Bellows
Material	HNBR
Suction cup model	B
Weight	120 g
Volume	310 cm ³
Suction cup model	B110
Movement, vertical max.	34.6 mm
Curve radius, min.	60 mm


Fitting

Fitting option	None
Fitting size	None
Fitting style	None
Fitting type	None

Dimension

Height	54.3 mm
Outer diameter, actuated	129 mm
Outer diameter	115 mm

Performance - lifting forces


	B110	
20 -kPa		137 N
60 -kPa		343 N
90 -kPa		461 N

Material

Name	HNBR50
Colour	Blue
Temperature	-30 - 140 °C
Hardness	50 °Shore A

	HNBR50
Alcohol	++
Concentrated acids	+
Ethanol	n/a
Hydrolysis	++
Methanol	n/a
Oil	+++
Oxidation	+++
Petrol	+++
Wear resistance	+++
Weather and ozone	+++

Dimensional drawings



Values specified in the data sheet are tested at:

- Room temperature: (20°C [68°F] ± 3°C [5.5°F])
 - Standard atmosphere: (101.3 [29.9 inHg] ± 1.0 kPa [0.3 inHg])
 - Relative humidity: 0-100%
 - Compressed air quality: DIN ISO 8573-1 class 4
-

Accessories

3250007 | Fitting G1/2" female AI, with mesh filter

0100561 | Fitting 110, G1/2" female, with mesh filter

0100559 | Fitting 110, 3/8" NPSF female, with mesh filter

0100557 | Fitting 110 G3/8" female, with mesh filter